


PRODUCTRANGE



AEG

Elektrofotografie GmbH



PRINTER RANGE / MONOCHROME

Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
CANON & HP									
EX	92298A	HP LaserJet 4 / 4M / 4+ / 5 / 5N / 5M; Canon LBP 8 IV / 860	OT 0355	1.920	480	60	discontinued*		●
WX	C3909A	HP LaserJet 5Si / 5SiMX / 8000; Canon LBP-2460 / LBP-WX	OT 0371	1.440	480	60	discontinued*		●
PX	92274A	HP LaserJet 4L / 4ML / 4P / 4MP; Canon Laser Class 5000 / 5500 / 7100 / 7500 / 7700	OT 0277	2.400	600	100	discontinued*		●
AX	C3906A	HP LaserJet 5L / 5ML / 6L / 1100 / 3100 / 3150; Canon LBP-AX / Laser Class 2060 / 3500 / FX3	OT 0279	2.400	600	100			●
HP 1010 EP-26	Q2612A	HP LaserJet 1010 / 1012 / 1015 / 1018 / 1020 / 1022 / 3015 / 3020 / 3030 / 3050 / 3052 HP LaserJet M1005 / 1319 Canon LBP-3200 (EP-26)	OT 0260	2.400	600	100			●
HP P1005	CB435A CB436A	HP LaserJet P1005 / 1006 / 1007 / 1008 / 1102 / 1505 / P1536 / P1566 / P1606; HP LaserJet M1120 / M1130 / 1132 / 1210 / 1212 / 1213 / 1217 1522 / 1536	OT 0290	2.400	600	100			●
HP 1200 EP-25X	C7115A	HP LaserJet 1000 / 1150 / 1200 / 1300 / 3310 / 3320 / 3300 / 3380mfp	OT 0280	2.400	600	100			●
HP 1160/1320	Q5949A	HP LaserJet 1160 / 1320 / 3390 / 3392 / P2014 / P2015 / M2727 Canon LBP3300	OT 0282	2.400	600	100			●
HP P2055 w/o Cardan	CE505A	HP LaserJet P2035 / 2055	OT 0203	2.400	600	100			●
HP 2100 EP-32X	C4096A	HP LaserJet 2100 / 2200 Canon LBP-1000	OT 3333	1.920	480	60			●
HP 2300	Q2610A	HP LaserJet 2300	OT 3342	1.920	480	60			●
HP 2410	Q6511A	HP LaserJet 2410 / 2420 / 2430 / M3027 / M3035 / P3005	OT 3344	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
HP P3015 w/o Cardan	CE255A	HP LaserJet P3010 / 3011 / 3015 / 3016	OT 3375	1.920	480	60			●
HP 4000 EP-52X	C4127A	HP LaserJet 4000 / 4050 Canon LBP-1760; Brother HL 2460	OT 3329	1.920	480	60			●
HP 4100	C8061A	HP LaserJet 4100	OT 3336	1.920	480	60			●
HP 4200/4300	Q1338A Q5945A	HP LaserJet 4200 / 4250 / 4300 / 4345 / M4345 / 4350	OT 3339	1.920	480	60			●
HP P4515	CC364A	HP LaserJet P4014 / 4015 / 4515 / Enterprise M4555 HP LaserJet Enterprise 600 M601 / 602 / 603	OT 3363	1.920	480	60			●
HP 5000 EP-62X	C4129A	HP LaserJet 5000 Canon LBP-1610 / 1810 / 3010 / 840 / 850 / 880	OT 3331	1.440	480	60			●
HP 5200	Q7516A	HP LaserJet 5200 / M5025 / M5035	OT 3345	1.440	480	60			●
CANON & HP COLOR									
HP CP1025	CE314A 126A	HP LaserJet Pro CP1025 / Pro 100 Color M175 / Pro 200 Color MFP M275	OT 3394	1.920	480	60			●
HP CP1215	CB540A CC530A 125A	HP Color LaserJet CM1312 / 1415 / 2320 HP Color LaserJet CP1215 / 1515 / 1518 / 1525 / 2025	OT 0293	2.400	600	100			●
HP 2600	Q6000A 124A	HP Color LaserJet 1600 / 2600 / 2605 / CM1015 / CM1017	OT 0273	1.920	480	60			●
HP 3000	Q7560A	HP Color LaserJet 2700 / 3000 / 3600 / 3800 / CP3005 / CP3505; Canon ImageRunner LBP 5360	OT 0275	2.400	600	100			●
HP CP3525	CE250A	HP Color LaserJet CP3525 / CM3530	OT0296	1.920	480	60			●
HP 3500	Q2670A	HP Color LaserJet 3500 / 3550 / 3700	OT 0264	2.400	600	100	discon- tinued*		●
HP 4700	Q5950A	HP Color LaserJet 4700 / CM4730 / CP4005	OT 3316	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
HP 5500 EP-86	C9730A 645A	HP Color LaserJet 5500 / 5550; Canon LBP-2710 / 2810; Imageclass C3500	OT 3374	1.440	480	60			●
HP CP4525	CE260X	HP Color LaserJet CP4020 / 4025 / 4520 / 4525	OT 0205	1.920	480	60			●
HP CP4525 Premium	CE260X	HP Color LaserJet CP4020 / 4025 / 4520 / 4525	OT 0205	1.920	480	60			●
HP CP5225	CE740A	HP Color LaserJet CP5225	OT 3385	1.920	480	60			●
HP 8100 EP-72	C4182A	HP LaserJet 8100 / 8150 Canon IR 3250; ImageClass 3250 / 4000	OT 0383	1.440	480	60			●
HP 9000	C8543A	HP LaserJet 9000 / 9040 / 9050; HP LaserJet M9040 / 9050	OT 3338	1.440	480	60			●
IBM (Infoprint) & Lexmark									
Optra S / T	1382625	Lexmark Optra S Lexmark T620 / 622 / 630 / 632 / 634 IBM 4059 / Infoprint 1120 / 1125 / 1130 / 1140 / 1332 / Infoprint 1352 / 1372; Dell M5200	OT 0379	1.920	480	60			●
T640	64035SA	T 640/642/644	OT 3328	1.920	480	60			●
T654	T650H21A	Lexmark T650 / 652 / 654 / 656	OT 3398	1.920	480	60			●
Optra M	17G0152	Optra M 410 / 412	OT 0321	1.920	480	60	discon- tinued*		●
Optra E SP-302	69G8257	Lexmark Optra E; Epson EPL-5500 / 5700 / 5800 / 5900 / 6100; KonicaMinolta Fax2900 / 3000 Minolta QMS PagePro 6 / 8 / 1100 / 1200 / 1300 / 1350 / 1380 / 1390;	OT 0300	1.440	480	60			●
E310		Samsung Engine	OT 0324	1.920	480	60			●
E320	o8A0475	Lexmark E220 / 320 / 321 / 322 / 323 Toshiba e-Studio 190P	OT 0326	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
E230/330	12A8302	Lexmark E 230 / 232 / 234 / 238 / 240 / 330 / 332 / 340 / 342 / 350 / 352 / 450 IBM Infoprint 1412 / 1512 / 1601 / 1612 / 1622 Dell 1700 / 1701 / 1702	OT 3308	1.920	480	60			●
E210		Samsung Engine	OT 0257	2.400	600	100			●
Brother									
DR-200 (Helical Gear)		Brother HL-720 / 730 / 760; MFC-4350 / 4450 / 4550 / 4650 / 7550 / 7650 / 7750; Intellifax 2550 / 2600 / 2750 / 3550 / 3650 / 3750; Fax 8000 / 8050 / 8060 / 8200 / 8250 / 8260	OT 0317	1.920	480	60			● / ●
DR-200 (Straight Gear) DR-250 / 8000 / 8050		Brother HL-720 / 730 / 760; IntelliFAX 2550 / 2600 / 2750 / 3550 / 3650 / 3750...; Brother MFC-4800 / 6800 / 9030 / 9070 / 9160 / 9180; IntelliFAX 2800 / 2900 / 3800; Fax-2880	OT 3300	1.920	480	60			● / ●
DR-300 (Helical Gear) DR-250 / 8000		Brother HL-820 / 1040 / 1050 / 1060 / 1070 / P2000; Brother MFC-4800 / 6800 / 9030 / 9070 / 9160 / 9180; IntelliFAX 2800 / 2900 / 3800	OT 0318	1.920	480	60			● / ●
DR-350 / 2000 DR-360/2100 (Straight / Vertical Gear) (Straight Gear)		Brother HL-2030 / 2040 / 2070 / 2140 / 2150 / 2170; FAX 2920; MFC-7220 / 7225 / 7320 / 7420 / 7440 / 7820 / 7840; IntelliFAX 2920; DCP-7010 / 7020 / 7025 / 7030	OT 0272	2.400	600	100			● / ●
DR-400 / 6000 (Helical Gear) DR-500 / 7000		Brother HL-1030 / 1230 / 1250 / 1430 / 1450 / 2500; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; Brother HL-1650 / 1670 / 1850 / 1870 / 5030 / 5050; MFC-8420 / 8820	OT 0329	1.920	480	60			● / ●
DR-400 / 6000 (Straight Gear) DR-510 / 3000		Brother HL-1030 / 1230 / 1250 / 1430 / 1450 / 2500; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; Brother HL-5130 / 5140 / 5150 / 5170; DCP-8040 / 8045 / 8440 / 8840	OT 0348	1.920	480	60			● / ●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
DR-420 / 2200		Brother HL-2130 / 2230 / 2240 / 2250 / 2270 / 2280; Brother DCP-7055 / 7060 / 7065; Brother MFC-7360 / 7460 / 7860	OT 3403	1920	480	60			● / ●
DR-520 / 3100 DR-620 / 3200		Brother HL-5240 / 5250 / 5270 / 5280 / 5340 / 5350; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; DCP-8060 / 8065 / 8070 / 8080	OT 3371	1.920	480	60			●
Samsung									
ML-1210		Samsung ML-1210 / 1220 / 1250 / 1550; SF-5100 Lexmark E210	OT 0257	2.400	600	100			●
ML-1710		Samsung ML-1510 / 1710 / 1750; SCX-4016 / 4216; Lexmark X215; Xerox WorkCentre PE16; Phaser 3114 / 3115 / 3120 / 3121 / 3130 / 3210	OT 0261	2.400	600	100			●
ML-1610 / 2010		Samsung ML-1610 / 2010 / 2510 / 2570; Dell 1100; Xerox Phaser 3117 / 3122 / 3124	OT 0298	2.400	600	100			●
ML- 1915		Samsung ML-1910 / 1915 / 2450 / 2525 / 2526 / 2580 / 2850; SCX-4600 / 4623; Dell 1130 / 1131 / 1135	OT 0214	2.400	600	100			●
ML-2150		Samsung ML-2150 / 2151 / 2152	OT 3306	1.920	480	60			●
ML-2250		Samsung ML-2250 / 2251 / 2252; SCX-4720; Xerox WorkCentre PE120 / Phaser 3150; Dell 1600	OT 0271	2.400	600	100			●
ML-3050		Samsung ML-3050 / 3051; SCX-5530	OT 0287	2.400	600	100			●
ML-3560		Samsung ML-3560 / 3561 / 3562 / 4050 / 4550 / 4551	OT 3362	1.920	480	60			●
ML-5000		Samsung ML-5000 / 5050 / 5100 / 5500; Lexmark E310/312; Xerox Workcentre 8pe	OT 0324	1.920	480	60			●
SCX-5312		Samsung SCX-5112 / 5115 / 5312 / 5315; Xerox WorkCentre Pro 312 / 412 / WC M15	OT 3307	1.920	480	60	discon- tinued*		●
ML-3710		Samsung ML-3310 / 3312 / 3710 / 3712; SCX-4833 / 4835 / 5637 / 5639 / 5737 / 5739	OT 0223	2.400	600	100			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
Samsung COLOR									
CLP-300		Samsung CLP-300 / 310 / 315 / 320 / 325 / 350; CLX-2160 / 3160 / 3170 / 3175 / 3180; Dell 1230 / 1235; Xerox Phaser 6110	OT 0681	540	180	20			●
CLP-610		CLP-610 / 660; CLX-6200 / 6210 / 6240	OT 0224	2400	600	100	Coming soon		●
Panasonic									
UF-585	UG-3350	Panasonic UF-580 / 585 / 590 / 595	OT 0256	2.400	600	100			●
KX-FL501	KX-FA77	Panasonic KX-FL501 / 502 / 503 / 521; KX-FLB750 / 751 / 756	OT 0270	2.400	600	100	discontinued*		●
Fuji Xerox									
N2125		Fuji Xerox N2125; IBM Infoprint 21; Epson EPL-N2050	OT 0307	1.440	480	60			●
Minolta									
PagePro 1350		Minolta QMS PagePro 1300 / 1350 / 1380 / 1390; Minolta bizhub 1610; Konica 7416; Epson EPL-6200; LP-2500	OT 0300	1.920	480	60			●
Xerox									
DocuPrint P8e		Samsung Engine	OT 0324	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
WorkCentre 412		Samsung Engine	OT 3307	1.920	480	60	discontinued*		●

* discontinued: out of production / please contact us for special pricing
 EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version
 All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM
 All brand names and trademarks are properties of their respective owners and for descriptive purposes only



COPIER RANGE / MONOCHROME

Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
CANON									
NP 6012		Canon NP 6012 / 6112 / 6212 / 6312 / 6412 / 6512; C120 / C122; Olivetti Copia 8012	OT 0269	1.920	480	60		30.000	●
NP 6030		Canon NP 6022 / 6025 / 6026 / 6030 / 6031; Olivetti Copia 8025 / 8530	OT 0370	1.500	500	50		60.000	●
NP 7161		Canon NP 7160 / 7161 / 7164 / 7210	OT 0347	1.500	500	50		60.000	●
GP 200		Canon GP 200 / 215 / 285 / 335 / 405; ImageRunner 210 / 2200 / 2800 / 330 / 400 OCE OP 22 / 33	OT 0341	900	300	20		50.000	●
IR 1023	GPR-22	Canon ImageRunner 1018 / 1019 / 1022 / 1023 / 1025	OT 0204	900	300	20		27.000	●
IR 1210		Canon ImageRunner 1210 / 1230 / 1270 / 1300 / 1310 / 1330 / 1370 / 1510 / 1530 / 1570 / 1630	OT 3313	900	300	20		24.000	●
IR 1600		Canon ImageRunner 1600 / 1605 / 1610 / 2000 / 2010	OT 0349	1.500	500	50		21.000	●
IR 2016		Canon ImageRunner 2016 / 2018 / 2020 / 2025 / 2030 / 2420 / 2422	OT 3352	900	300	20		55.000	●
IR 2230		Canon ImageRunner 2230 / 2270 / 2770 / 2830 / 2870 / 3025 / 3030 / 3035 / 3045 / 3570 / 4570 EQ	OT 3348	900	300	20		85.000	●
FC 310	E16/40	Canon FC 100 / 120 / 200 / 220 / 310 / 330; PC 420 / 430 / 530 / 730 / 860; Olivetti Copia 8004	OT 0253	2.400	600	100		1.600	●
Konica Minolta									
7050		KonicaMinolta 7050 / 7055 / 7060 / 7065 / 7150; Force 50 / 60	OT 0871	360	120	20		120.000	●
7155		KonicaMinolta 7155 / 7165 / 7255; bizhub 600 / 750	OT 0877	240	80	8		500.000	●
7020		KonicaMinolta 7020 / 7025 / 7030 / 7035 / 7130 / 7135	OT 0670	540	180	20		200.000	●
7033		KonicaMinolta 7033 / 7040 / 7045 / 7133 / 7140	OT 0671	540	180	20		200.000	●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only

10



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
7075 / Di 750 w/o		KonicaMinolta 7075 / 7085 / 7185; Di 750 / 850; bizhub PRO 7085 / 85 / 920; Pitney Bowes im 9220	OT 1057	240	80	8		1.000.000	●
7115 / Di 152		KonicaMinolta 7115 / 7118 / 7216 / 7220; Di 152 / 161 / 183; bizhub 7218 / Di 1811; OCE MP 1116 / 1120	OT 0333	900	200	20		40.000	●
7222		KonicaMinolta 7222 / 7228 / 7235 / 7322	OT 0673	540	180	20		200.000	●
7416 / Di1610		KonicaMinolta 7416 / Di1610; Epson EPL-6200; PagePro 1250 / 1300 / 1350 =Optra E	OT 0300	1.920	480	60		20.000	●
1015		KonicaMinolta 1015 / 1120 / 1212 / 1216 / 2223	OT 0663	540	180	20		60.000	●
EP 1050		KonicaMinolta EP 1050 / 1070 / 1080 / 1085 / 2010 / 2030	OT 0661	540	180	20		60.000	●
Di 250 / EQ		KonicaMinolta Di 200 / 250 / 251 / 350 Pitney Bowes DL 200 / 350	OT 0316 OT 0340	900	300	20		67.000	●
Di 2510 EQ		KonicaMinolta Di 1810 / 2510 / 3010 / 3510; bizhub 200 / 250 / 350; Pitney Bowes im 2520 / 3520	OT 3312	900	300	20		80.000	●
Di 450		KonicaMinolta Di 450 / 550; bizhub Di470; Pitney Bowes im 4720 / 5520	OT 0876	240	80	8		240.000	●
Di 520		KonicaMinolta Di 520 / 620; Hitachi DDS 50 / 62; Pitney Bowes DL 520 / 620	OT 1056	240	80	8		400.000	●
Di 650		KonicaMinolta Di 551 / 5510 / 650 / 7210	OT 0878	240	80	8		500.000	●
7145 / bizhub 360		KonicaMinolta 7145; bizhub 360 / 420 / 500	OT 0675	540	180	20		240.000	●
bizhub PRO 1050 w/ o		KonicaMinolta bizhub PRO 1050 / 1051 / 1200	OT 1063	192	64	8		1 Mio.	●
Konica Minolta COLOR									
ColorForce 8050 / bizhub PRO C500		KonicaMinolta ColorForce 8050; bizhub PRO C500; CF5001	OT 0674	540	180	20		100.000	●
bizhub PRO C6500		KonicaMinolta bizhub PRO C65 / 5501 / 6000 / 6500 / 6501 / 7000	OT 0683	540	180	20		100.000	●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
bizhub C350		KonicaMinolta bizhub C350 / 351 / 450; CF2203; OCE 180 / 230; Pitney Bowes CM3520	OT 3320	900	300	20		80.000	●
bizhub C250		KonicaMinolta bizhub C250 / C252 / C300 / C352	OT 3353	900	300	20		70.000	●
bizhub C353		KonicaMinolta bizhub C203 / 253 / 353; OCE cm2522 / 3522	OT 3393	900	300	20		120.000	●
bizhub C360		KonicaMinolta bizhub C220 / 280 / 360	OT 3383	900	300	20		120.000	●
Kyocera Mita									
KM-1510		Kyocera Mita KM-1505 / 1510 / 1810; CS-1505 / 1510 / 1810	OT 3351	900	300	20		100.000	● / ●
KM-1530		Kyocera Mita KM-1525 / 1530 / 1570 / 2030 / 2070	OT 3305	1.500	500	50		100.000	● / ●
KM-1620		Kyocera Mita KM-1620 / 1635 / 1650; / 2020 / 2035 / 2050	OT 3364	900	300	20		150.000	●
Panasonic									
FP-D 250		Panasonic FP-D250 / 350 / 450 / 600 Pitney Bowes DL250 / 355 / 460 / 600	OT 0669	540	180	20	discontinued*	120.000	●
DP 3510		Panasonic DP-3510 / 3520 / 4510 / 4520 / 6010 / 6020 / Workio DP-8035 / 8045 / 8060	OT 0881	240	80	8		240.000	●
FP 7718		Panasonic FP 7718 / 7722 / 7728 / 7750 / 7824 / 7850 Pitney Bowes C180 / 235	OT 0668	540	180	20	discontinued*	80.000	●
Ricoh									
Aficio 1015		Ricoh Aficio 1015 / 1018 / 1022 / 1027 / 1032 / 2015 / 3025 / 3030 / Aficio MP1600 / 2000 / 2510 / 3010 / Aficio AP2700 / 3200	OT 0322	900	300	20		60.000	●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
Aficio 350		Aficio 1035 / 1045 / 2035 / 2045 / 3035 / 3045 / 340 / 350 / 450 / AP4500 / AP4510 / MP 3500 / MP 4500 / SP8100DN	OT 0662	540	180	20		150.000	●
Aficio 550		Aficio 1050 / 1060 / 1075 / 1085 / 2051 / 2060 / 2075 / 2105 / 550 / 551 / 650 / 700 / 850 / AP900 / Toshiba e-Studio 1050 / 900	OT 1051	192	64	8		500.000	●
Aficio MP5500		Aficio MP5500 / 6500 / 7500 / 8000 / SP9100	OT 1061	192	64	8		1 Mio.	●
Aficio MP9000		Ricoh Aficio MP1100 / 1350 / 9000; Ricoh Aficio Pro 1106EX / 1356EX / 906EX Toshiba e-studio 901 / 1101 / 1351	OT 1064	192	64	8		2 Mio.	●

Ricoh COLOR

Aficio MP C2500	B223-2244 - D029-2238	Aficio MP C2000 / 2500 / 2800 / 3000 / 3300 / 3500 / 4000 / 4500 / 5000	OT 0454	720	240	20	Cleaning Blade and Lubricant Bar available	120.000	●
-----------------	-----------------------	---	---------	-----	-----	----	--	---------	---

Sharp

AL 1000		Sharp AL 1000 / 1010 / 1020 / 1045 / 1200 / 1215; AR 150 / 151 / 153 / 168; Toshiba e-Studio 12 / 120 / 15 / 150 / 162; Xerox Workcentre Pro 16 / 215; XD 100 / 120 / 130 / 155	OT 0314	1.920	480	60		18.000	●
AR 160 AR-201DR / DM		Sharp AR 160 / 161 / 200 / 205	OT 0302	900	300	20		30.000	●
AR 336 AR-336DR / DM		Sharp AR 250 / 280 / 285 / 336 / 337	OT 0752 OT 0755	324	108	6		160.000	●
AR 405 AR-400DR / DM		Sharp AR 405 / 407	OT 0753 OT 0756	324	108	6		160.000	●
AR 505 AR-500DR / DM		Sharp AR 501 / 505 / 507	OT 0754 OT 0757	324	108	6		250.000	●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only

13



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
AR 650 AR-650DR		Sharp AR 650 / 800 / 850; Toshiba OD4580 / 5570 / 6570; e-Studio 55 / 65 / 80	OT 1055	240	80	8	discontinued*	400.000	●
AR-M450 AR-451DR / DM		Sharp AR-M280 / 350 / 450	OT 3302	1.500	500	50		160.000	●
AR-M451 AR-452DR / DM		Sharp AR-M351 / 355 / 451 / 455; MX-M350 / 450	OT 3372	1.500	500	50		200.000	●
AR-M620 AR620DR / DM		Sharp AR-M550 / 620 / 700; MX-M550 / 620 / 700	OT 0880	240	80	8		300.000	●
Z835		Sharp Z800 / 820 / 830	OT 0323	1.920	480	60	discontinued*	12.000	●
Sharp COLOR									
MX-2300 MX-5500 Color Units		Sharp MX-2300 / 2700 / 3500 / 3501 / 4500 / 4501 / Sharp MX-5500 / 6200 / 6201 / 7000 / 7001	OT 3360	900	300	20		100.000	●
MX-5500 Black		Sharp MX-5500 / 6200 / 6201 / 7000 / 7001	OT 0887	240	80	8		300.000	●
Xerox									
XD100		= Sharp AL-1000	OT 0314	1.920	480	60		18.000	●
XC 810		Xerox XC 1020 / 810 / 830 / 830 / 855 / 865	OT 0323	1.920	480	60	discontinued*	12.000	●
Xerox COLOR									
DC240 Black		Fuji Xerox DocuColor 240 / 242 / 250 / 252; 700 Digital Press; Xerox WorkCentre 7655 / 7665 / 7675 / 7755 / 7765 / 7775	OT 0682	540	180	20		260.000	●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
DC 240 Color		Fuji Xerox DocuColor 240 / 242 / 250 / 252; 700 Digital Press; Xerox WorkCentre 7655 / 7665 / 7675 / 7755 / 7765 / 7775	OT 0457	540	180	20		115.000	●
Toshiba									
BD 5540		Toshiba BD 5540 / 6550 / 7550 / 7560	ST 1008	120	30	10		200.000	●
OD 6570		= Sharp AR 650	OT 1055	240	80	8	discontinued*	400.000	●
OD 6510		Toshiba e-Studio 520 / 550 / 556 / 600 / 620 / 656 / 720 / 756 / 810 / 850 / 856; Panasonic Workio DP-6530 / 7240 / 8130 / 8540; Sharp AR-651 / 810	OT 1059	240	80	8		500.000	●
e-Studio 16 OD 1600		Toshiba e-Studio 16 / 160 / 163 / 165 / 166 / 167 / 20 / 200 / 206 / 207 / 230 / 232 / 233 / 237 / 250 / 280 / 282	OT 0327	1.500	500	50		27.000	●
e-Studio 12 OD 1200		= Sharp AL-1000	OT 0314	1.920	480	60		25.000	●
e-Studio 28 OD 3500		Toshiba e-Studio 28 / 35 / 350 / 352 / 450 / 452 / 453	OT 0672	540	180	20		93.000	●
e-Studio 205L OD 4530		Toshiba e-Studio 205L / 255 / 305 / 405 / 455	OT 3376	1.500	500	50		120.000	●
Toshiba COLOR									
e-studio 2500c OD-FC35		Toshiba e-studio 2330c / 2500c / 2830c / 3500c / 3510c / 3530c / 4520c	OT 3391	900	300	20		70.000	●

* discontinued: out of production / please contact us for special pricing

EQ: Equalizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



Large Format Printing

Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
KIP									
2000		KIP 2000	OT o885	30	5	1			●
3000		KIP 3000	OT o888	30	5	1			●
5000		KIP 5000 / 6000	OT o884	30	5	1			●
7000		KIP 7000	OT o886	30	5	1			●
8000		KIP 8000 / 9010	OT 1852	15	3	1			●
9000		KIP 9000	OT 1853	15	3	1			●
Ricoh									
470 W		Ricoh Aficio 240W / 470W; Ricoh MP W2400 / W2401 / W3600 / W3601; W 5100 / 7140	OT o864	30	5	1			●
Xerox									
2510		Xerox 1030 / 1035 / 2510 / 2515 / 3030 / 3040 / 3050	ST o880	42	7	1			●
Xerox 8830		Xerox 510 / 8825 / 8830 / 8850	OT o891	30	5	1			●
Seiko									
LP-1010		SEIKO Teriostar LP-1010 / 1020	OT o679	30	5	1			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer · CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM

All brand names and trademarks are properties of their respective owners and for descriptive purposes only



CONTACT

Headquarter
Sales Office Europe
AEG ELEKTROFOTOGRAFIE
Emil-Siepmann-Straße 40
D-59581 Warstein
Germany
Phone +49.(0)2902.861-359
Fax +49.(0)2902.861-350
www.aeg-photoconductor.de

Sales Office China:
**AEG PHOTOCONDUCTOR
(ZHUHAI)**
Room 2612, YueCai Building,
No. 188 Jingshan Road,
Jida, Zhuhai 519015
Phone +86 756 321 2230
Fax +86 756 321 2231

Sales Office USA:
**AEG PHOTOCONDUCTOR
CORPORATION**
6929 Tylersville Rd.
Suite 18
West Chester, Ohio 45069, USA
Phone: +1-513-874-4939 ext. 209
Fax: +1-513-874-5082

