

PRODUCTRANGE



PRINTER RANGE / MONOCHROME

Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
CANON & HP									
EX	92298A	HP LaserJet 4 / 4M / 4+ / 5 / 5N / 5M; Canon LBP 8 IV / 860	OT 0355	1.920	480	60	discontinued*		●
WX	C3909A	HP LaserJet 5Si / 5SiMX / 8000; Canon LBP-2460 / LBP-WX	OT 0371 OT 3310	1.440	480	60	discontinued*		●
PX	92274A	HP LaserJet 4L / 4ML / 4P / 4MP; Canon Laser Class 5000 / 5500 / 7100 / 7500 / 7700	OT 0277	2.400	600	100	discontinued*		●
AX	C3906A	HP LaserJet 5L / 5ML / 6L / 1100 / 3100 / 3150; Canon LBP-AX / Laser Class 2060 / 3500 / FX3	OT 0279	2.400	600	100			●
HP 1010 EP-26	Q2612A	HP LaserJet 1010 / 1012 / 1015 / 1018 / 1020 / 1022 HP LaserJet 3015 / 3020 / 3030 / 3050 / 3052 HP LaserJet M1005 / 1319 Canon LBP-3200 (EP-26)	OT 0260	2.400	600	100			●
HP P1005	CB435A CB436A	HP LaserJet P1005 / 1006 / 1007 / 1008 / 1505; HP LaserJet M1120 / 1522	OT 0290	2.400	600	100			●
HP 1200 EP-25X	C7115A	HP LaserJet 1000 / 1150 / 1200 / 1300 / HP LaserJet 3300 / 3310 / 3320 / 3300 / 3380mfp	OT 0280	2.400	600	100			●
HP 1160/1320	Q5949A	HP LaserJet 1160 / 1320 / 3390 / 3392 / P2014 / P2015 / M2727 Canon LBP3300	OT 0282	2.400	600	100			●
HP P2055 w/o Cardan	CE505A	HP LaserJet P2035 / 2055	OT 0203	2.400	600	100			●
HP 2100 EP-32X	C4096A	HP LaserJet 2100 / 2200 Canon LBP-1000	OT 3333	1.920	480	60			●
HP 2300	Q2610A	HP LaserJet 2300	OT 3342	1.920	480	60			●
HP 2410	Q6511A	HP LaserJet 2410 / 2420 / 2430 / M3027 / M3035 / P3005	OT 3344	1.920	480	60			●
HP P3015 w/o Cardan	CE255A	HP LaserJet P3010 / 3011 / 3015 / 3016	OT 3375	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer

CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
HP 4000 EP-52X	C4127A	HP LaserJet 4000 / 4050 Canon LBP-1760 ; Brother HL 2460	OT 3329	1.920	480	60			●
HP 4100	C8061A	HP LaserJet 4100	OT 3336	1.920	480	60			●
HP 4200/4300	Q1338A Q5945A	HP LaserJet 4200 / 4250 / 4300 / 4345 / M4345 / 4350	OT 3339	1.920	480	60			●
HP P4515	CC364A	HP LaserJet P4014 / 4015 / 4515	OT 3363	1.920	480	60			●
HP 5000 EP-62X	C4129A	HP LaserJet 5000 Canon LBP-1610 / 1810 / 3010 / 840 / 850 / 880	OT 3331	1.440	480	60			●
HP 5200	Q7516A	HP LaserJet 5200 / M5025 / M5035	OT 3345	1.440	480	60			●
HP 8100 EP-72	C4182A	HP LaserJet 8100 / 8150 Canon IR 3250 ; ImageClass 3250 / 4000	OT 0383	1.440	480	60			●
HP 9000	C8543A	HP LaserJet 9000 / 9040 / 9050; HP LaserJet M9040 / 9050	OT 3338	1.440	480	60			●
CANON & HP COLOR									
HP2600	Q6000A	HP Color LaserJet 1600 / 2600 / 2605 / CM1015 / CM1017	OT 0273	1.920	480	60			●
HP CP1215	CB540A CC530A	HP Color LaserJet CM1312 / 2320 HP Color LaserJet CP1215 / 1515 / 1518 / 2025	OT 0293	2.400	600	100			●
HP3000	Q7560A	HP Color LaserJet 2700 / 3000 / 3600 / 3800 / CP3005 / CP3505; Canon ImageRunner LBP 5360	OT 0275	2.400	600	100			●
HP CP3525	CE250A	HP Color LaserJet CP3525 / CM3530	OT0296	2.400	600	100			●
HP3500	Q2670A	HP Color LaserJet 3500 / 3550 / 3700	OT 0264	2.400	600	100			●
HP4600 EP-85	C9720A	HP Color LaserJet 4600 / 4610 / 4650; Canon ImageClass C 2500; LBP 2510	OT 0330	1.920	480	60			●
HP4700	Q5950A	HP Color LaserJet 4700 / CM4730 / CP4005	OT 3316	1.920	480	60			●
HP5500 EP-86	C9730A	HP Color LaserJet 5500 / 5550; Canon LBP-2710 / 2810; Imageclass C3500	OT 0332	1.440	480	60			●
HP CP4525	CE260X	HP Color LaserJet CP4020 / 4025 / 4520 / 4525	OT 0205	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer

CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
IBM (Infoprint) & Lexmark									
Optra S / T	1382625	Lexmark Optra S Lexmark T620 / 622 / 630 / 632 / 634 IBM 4059 / Infoprint 1120 / 1125 / 1130 / 1140 / 1332 / Infoprint 1352 / 1372 ; Dell M5200	OT 0379	1.920	480	60			●
T640	64035SA	T 640/642/644	OT 3328	1.920	480	60			●
Optra M	17G0152	Optra M 410 / 412	OT 0321	1.920	480	60			●
Optra E SP-302	69G8257	Lexmark Optra E ; Epson EPL-5500 / 5700 / 5800 / 5900 / 6100 ; KonicaMinolta Fax2900 / 3000 Minolta QMS PagePro 6 / 8 / 1100 / 1200 ; Minolta QMS PagePro 1300 / 1350 / 1380 / 1390 ;	OT 0300	1.440	480	60			●
E310		Samsung Engine	OT 0324	1.920	480	60			●
E320	o8A0475	Lexmark E220 / 320 / 321 / 322 / 323 Toshiba e-Studio 190P	OT 0326	1.920	480	60			●
E230/330	12A8302	Lexmark E 230 / 232 / 234 / 238 / 240 / 330 / 332 / 340 / 342 / 350 / 352 / 450 IBM Infoprint 1412 / 1512 / 1601 / 1612 / 1622 Dell 1700 / 1701 / 1702	OT 3308	1.920	480	60			●
E210		Samsung Engine	OT 0257	2.400	600	100			●
Brother									
DR 200 (Helical Gear)		Brother HL-720 / 730 / 760 ; MFC-4350 / 4450 / 4550 / 4650 / 7550 / 7650 / 7750 ; Intellifax 2550 / 2600 / 2750 / 3550 / 3650 / 3750 ; Fax 8000 / 8050 / 8060 / 8200 / 8250 / 8260	OT 0317	1.920	480	60			● / ●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer

CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
DR 200 (Straight / Vertical Gear) DR-250 / 8000 / 8050		Brother HL-720 / 730 / 760; IntelliFAX 2550 / 2600 / 2750 / 3550 / 3650 / 3750...; Brother MFC-4800 / 6800 / 9030 / 9070 / 9160 / 9180; IntelliFAX 2800 / 2900 / 3800; Fax-2880	OT 3300	1.920	480	60			● / ●
DR-300 (Helical Gear) DR-250 / 8000		Brother HL-820 / 1040 / 1050 / 1060 / 1070 / P2000; Brother MFC-4800 / 6800 / 9030 / 9070 / 9160 / 9180; IntelliFAX 2800 / 2900 / 3800	OT 0318	1.920	480	60			● / ●
DR-350 / 2000 (Straight Gear)		Brother HL-2030 / 2040 / 2070 / 2140 / 2150 / 2170 ; Fax 2920; MFC-7220 / 7225 / 7420 / 7820 ; IntelliFAX 2920; DCP-7010 / 7020 / 7025	OT 0272	2.400	600	100			● / ●
DR-400 / 6000 (Helical Gear) DR-500 / 7000		Brother HL-1030 / 1230 / 1250 / 1430 / 1450 / 2500; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; Brother HL-1650 / 1670 / 1850 / 1870 / 5030 / 5050; MFC-8420 / 8820	OT 0329	1.920	480	60			● / ●
DR-400 / 6000 (Straight Gear) DR-510 / 3000		Brother HL-1030 / 1230 / 1250 / 1430 / 1450 / 2500; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; Brother HL-5130 / 5140 / 5150 / 5170; DCP-8040 / 8045 / 8440 / 8840	OT 0348	1.920	480	60			● / ●
DR-520 / 3100 DR-620 / 3200		Brother HL-5240 / 5250 / 5270 / 5280 / 5340 / 5350; MFC-8300 / 8500 / 8600 / 9600 / 9700 / 9800 / 9870; DCP-8060 / 8065 / 8070 / 8080	OT3371	1.920	480	60			●
Samsung									
ML-1210		Samsung ML-1210 / 1220 / 1250 / 1550 ; SF-5100 Lexmark E210	OT 0257	2.400	600	100			●
ML-1710		Samsung ML-1510 / 1710 / 1750 ; SCX-4016 / 4216; Lexmark X215; Xerox WorkCentre PE16 ; Phaser 3114 / 3115 / 3120 / 3121 / 3130 / 3210	OT 0261	2.400	600	100			●
ML-1610 / 2010		Samsung ML-1610 / 2010 / 2510 / 2570; Dell 1100; Xerox Phaser 3117 / 3122 / 3124	OT 0298	2.400	600	100			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer

CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
ML-2150		Samsung ML-2150 / 2151 / 2152	OT 3306	1.920	480	60			●
ML-2250		Samsung ML-2250 / 2251 / 2252 ; SCX-4720; Xerox WorkCentre PE120 / Phaser 3150; Dell 1600	OT 0271	2.400	600	100			●
ML-3050		Samsung ML-3050 / 3051 ; SCX-5530	OT 0287	2.400	600	100			●
ML-3560		Samsung ML-3560 / 3561 / 3562 / 4050 / 4550 / 4551	OT 3362	1.920	480	60			●
ML-5000		Samsung ML-5000 / 5050 / 5100 / 5500; Lexmark E310/312; Xerox Workcentre 8pe	OT 0324	1.920	480	60			●
SCX-5312		Samsung SCX-5112 / 5115 / 5312 / 5315; Xerox WorkCentre Pro 312 / 412 / WC M15	OT 3307	1.920	480	60	discontinued*		●
Panasonic									
UF-745	UG-3204	Fuji Xerox Engine	OT 0372	1.920	480	60	discontinued*		●
UF-585	UG-3350	Panasonic UF-580 / 585 / 590 / 595	OT 0256	2.400	600	100			●
KX-FL501	KX-FA77	Panasonic KX-FL501 / 502 / 503 / 521; KX-FLB750 / 751 / 756	OT 0270	2.400	600	100	discontinued*		●
Pitney Bowes									
PB9700		Fuji Xerox Engine	OT 0372	1.920	480	60	discontinued*		●
Fuji Xerox									
N2125		Fuji Xerox N2125; IBM Infoprint 21; Epson EPL-N2050	OT 0307	1.440	480	60			●
Xerox 4505	XP 5/10	Xerox 4505 / 4510; Pitney Bowes PB9700 / 9720 / 9750; Panasonic Panafax UF-745 / 755	OT 0372	1.920	480	60	discontinued*		●
XP-12		Xerox Docuprint P12; IBM 4312	OT 0394	1.920	480	60			●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer

CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



Description	Cartridge	Photoreceptor for use in	AEG Type	Skid	Sub Skid	Master Box	Remarks	Estim. Yield	Color
Minolta									
PagePro 1350		Minolta QMS PagePro 1300 / 1350 / 1380 / 1390; Minolta bizhub 1610; Konica 7416; Epson EPL-6200; LP-2500	OT 0300	1.920	480	60			●
Xerox									
DocuPrint P8e		Samsung Engine	OT 0324	1.920	480	60			●
WorkCentre 412		Samsung Engine	OT 3307	1.920	480	60	discontinued*		●

* discontinued: out of production / please contact us for special pricing

EQ: EQualizer (Insert) · DT: DuraTek Layer
CV: Conversion Drum · NV: New Gear Version

All yield indications are provided under the assumption that the machines the photoreceptors are utilized in are maintained and serviced as recommended by the OEM



CONTACT

Headquarter
Sales Office Europe
AEG ELEKTROFOTOGRAFIE
Emil-Siepmann-Straße 40
D-59581 Warstein
Germany
Phone +49.(0)2902.861-359
Fax +49.(0)2902.861-350
www.aeg-photoconductor.de

Sales Office China:
**AEG PHOTOCONDUCTOR
(ZHUHAI)**
Room 2612, YueCai Building,
No. 188 Jingshan Road,
Jida, Zhuhai 519015
Phone +86 756 321 2230
Fax +86 756 321 2231

Sales Office USA:
**AEG PHOTOCONDUCTOR
CORPORATION**
6929 Tylersville Rd.
Suite 18
West Chester, Ohio 45242, USA
Phone: +1-513-874-4939 ext. 209
Fax: +1-513-874-5082

